


CDM Versioning

- Why does the TAWG need to get involved?
 - To make it easier for people to locate and use the version of the CDM that they require
 - Some questions that need to be answered:
 - Do you know what version you should be using and for what purpose?
 - Development versions vs Production versions
 - How easy is it to find the version you need?
 - Is it prominent enough, is it obvious on github?
 - What does each version actually contain?
 - Model, test cases, artefacts?
 - How do you create an instance of the CDM at a particular version?




Use these versions if you are:

- Using the CDM in production
- Looking to implement the CDM
- Upgrading to a new version of the CDM

Use these versions if you are:

- A modeller or developer looking to add new functionality into the next Major release
- A modeller or developer looking to review or test functionality that is not in a Major release yet



Click here and
choose "Tags"

 master ▾  21 branches  1,066 tags

Switch branches/tags ✕




Find a tag


Branches Tags



5.0.0-dev.2
5.0.0-dev.1
5.0.0-dev.0
4.2.0
4.1.1
4.1.0
4.0.0
4.0.0-dev.56

To find latest
Production:

- Scroll down Tags
- Pick first non-"dev" release
- In this example it's 4.2.0
- Click on it to get to 4.2.0 code

 5.0.0-dev.2 ▾  21 branches  1,066 tags

 3 authors DSL 8.1.0 (#2239) ...

 .github	CVE vulneral
 distribution	STORY-2042
 docs	CDM docum

"dev" releases only relevant to
developers who need to test changes
not yet put into a production version

 4.2.0 ▾  21 branches  1,066 tags

 hugohills-regnosys Update bundle version to 6.8.1

 .github	Update b
 distribution	STORY-20
 documentation	STORY-20